

Singapore Medical Journal Volume 51 2010 Subject Index

- 18F-FDG, e37
25-hydroxy vitamin D, 440
- abdominal aorta, e94
abolition of seizure, 424
abstracting, 757
academic achievement, 247
accessory foramen, 730
ACE activity, 576
ACE inhibitor, 151
acquired brain injury, 709
activated partial thromboplastin time, 300
acute appendicitis, 220
acute coronary syndrome, 558
acute emesis, 871
acute lung injury, 501
acute renal failure, e79
acute respiratory distress syndrome, 490, 501
acute septic arthritis, e1
add-on therapy, 424
adenexal tumour, e46
adhesive capsulitis, 694
adolescent women, 876
adult females, 116
affordability, 399
aflatoxin-induced liver damage, 326
agenesis, e163
albuminuria, 151
ALCAT test, 4
allergic rhinitis, 542
amlodipine, 424
amniocentesis, 343
amyloidosis, e158
anatomy, 721, e94
androgenetic alopecia, 931
aneurysm, e85
angiofollicular lymphoid hyperplasia, 813
angioplasty, e81
angiotensin-converting enzyme, 576
angiotensin receptor blocker, 151
ankylosing spondylitis, 883
antenatal screening, 800
anterior cruciate ligament, 413
anthropometry, 212
anticonvulsant, 424
antiepileptic drugs, 21
antihypertensive, 39
antioxidant, 230
antisickling, 230
anti-snake venom, 300
aortic arch, e182
aortic valve stenosis, 69
aplastic anaemia, 806
apoplexy, e179
apoptosis, 50
appendectomy, 220
armed forces, 635
arrhythmia detection, 565
- arteritic anterior ischaemic optic neuropathy, 73
ASA, 137
ascending pharyngeal artery, e40
Asia, 536
Asian, 937
Asian Continental Ancestry Group, 888
aspirin, e198
atrial fibrillation, e118
atrioventricular block, e146
atrioventricular dissociation, e146
attitude, 15
attitudes, 290, 623
audit, 736
author contribution, 844
autopsy, e15
- baby walkers, 645
Bangladesh, 876
barium meal follow through with pneumocolon, e153
basal metabolic rate, 635
beliefs, 15
benign, 650
benzodiazepine, 21
bereavement, e34
beta-human chorionic gonadotropin, e58
bibliographic databases, 757
bifurcation, 216
bile ducts, 744
biliary cyst, e27
biliary obstruction, 762
bioabsorbable, 235
biochemical markers, 50
bioprosthesis, 69
BI-RADS category 3, 120
birth weight, 853
blood, 944
blood components, 736
blood gas, 501
blood transfusion, 736
blunt renal trauma, 468
body weight, 957
bolus dose, 440
bone fractures, 702
bone marrow, 806
bone mineral density, 876
bone-patellar tendon-bone graft, 413
book analysis, 685
book review, 685
brachial plexus, 464
brachiocephalic trunk, e182
brain death, e133
brain herniation, e166
brain natriuretic peptide, 501
branchial apparatus, e122
breast cancer, 120, 306
breast, e72
broken heart syndrome, e76
Brostrom-Gould, 235
- brown fat, e37
Burkholderia pseudomallei, e43
- cadaver, 721
cancer, 374, 860
cardiac failure, 896
cardiac imaging, 282
cardioversion, e118
carotid artery, e163
case report, 10
Castleman's disease, 813
catheter, e195
CD5, e201
central compartment, 311
cephalometry, 212
cerebellopontine angle, e98
cerebral blood flow, e111
cervical laminectomy, e66
cervical lymphadenopathy, e18
channel delivery, 790
chemotherapy, 860
child, 406
children, 457, e34
Chinese, 290, 716
chronic kidney failure, 888
chronic myeloid leukaemia, 110
chronic pulmonary thromboembolism, e22
citation, 757
citrin deficiency, e12
citrullinaemia type 2, e12
clinical applications, e182
clinical audit, 724
clinical outcomes, 570
clinical spectrum, 226
clinicopathological behaviour, 813
coeliac trunk, 216, e6
cognitive ability, 247
collision tumour, e176
colon, 650
colorectal cancer, 475
commentary, 454, 612
common peroneal nerve, 721
comparative study, 716
computed tomography, 200, 457, 475, e163
conflict-of-interest, 844
congenital abnormalities, e163
congenital anomaly syndrome, e54
congenital cardiac surgery, 570
congenital hand deformity, 965
congenital heart disease, 570
congenital megalourethra, 352
congenital variant, e195
congruency, 332
contralateral lymph node, e187
copyright, 844
coronary angiography, e81
coronary arteries, e76
coronary artery bypass graft, 381
coronary artery disease, 282, 374
- coronary plaques, 282
correspondence, 796
cost-effectiveness, 689
cranial melioidosis, e43
creatinine, 888
Crohn's disease, 484
Cronkhite-Canada syndrome, e153
cross-cultural, e34
cross-sectional studies, 592
cryptococcal meningoencephalitis, e133
cutaneous adverse drug reactions, 767
cyclin D1 markers, e201
CYP2E1, 389
cystatin C, 888
cystic pancreatic lesion, 668
cystoenterostomy, e27
cytogenetic analysis, 133
cytotoxic food testing, 4
- data falsification, 908
deafness, e30
decortication, 242
deformity, e149
delayed closure of anterior fontanel, e9
delayed emesis, 871
dengue haemorrhagic fever, e146
depomedroxyprogesterone acetate, 876
developing countries, 702
developmental psychology, e34
dexamethasone, 871
diabetes mellitus, 56, 157, 582, 623, 923
diabetic eye screening, 631
diabetic nephropathy, 151
diabetic retinopathy, 56, 631
diagnosis, 93, 542
diagnostic accuracy, 282
diagnostic imaging, 744
diagnostic techniques, 220
diagnostic yield, 660
dietary supplements, 440
differentiated thyroid carcinoma, 311
directions, 730
disability, 865
disease-related knowledge, 484
districts of West Bengal, 406
diverticulosis, e161
doctors, 592
dopamine-secreting tumours, e89
Down syndrome, 133, 343, e46
driver, 913
drug allergy, 767
drug hypersensitivity, 767
drug utilisation, 21, 28
dual time point imaging, e37
duodenal obstruction, e184
duplicate publication, 908

- duration of untreated psychosis, 689
- duty of care, 275
- early mobilisation, e62
- early post-traumatic seizures, 105
- early psychosis intervention, 689
- eccrine tumour, e46
- Echinococcus, e72
- eczema, e158
- editorial, 612
- education, 796
- educational messages, 790
- electroencephalography, e133
- embolisation, 824
- emergency department, 200
- emperipolesis, e173
- empyema, 242
- endemic disease, e72
- endophthalmitis, e169
- endoscopy, 93, 744
- endosonography, 762
- energy requirement, 635
- enlarging palpable breast lump, e191
- envenomation, 300
- epidemiology, 429
- epidermal inclusion cyst, e191
- epilepsy, 290, 424
- epileptogenesis, 105
- eruptive syringoma, e46
- erythromycin, 952
- ethics committee, 908
- evidence, 913
- evidence-based medicine, 362
- evoked potentials, 716
- exchange transfusion, 641
- excision biopsy, 306
- external carotid artery, e40
- external fixator, e62
- extracorporeal shock wave lithotripsy, 512
- facial ergonomics, 212
- factors affecting HbA1c, 616
- false negative, e58
- family physicians, 796
- fatal, 496
- febrile seizures, 724
- feeding intolerance, 952
- female circumcision, 15
- female genital cutting, 15
- femoral artery, e3, e81
- femoral nerve palsy, e107
- femoral vein, e3
- fever, 724
- fibrinolytic therapy, 242
- figures, 186
- fingertip, 78
- fingertip amputation, 78
- fingertip injuries, 78
- first-degree relatives, 576
- FISH, 343
- fistula, e85
- fixed oil extract, 230
- flap, 339
- flexible bronchoscopy, 660
- food allergy, 4
- food specific IgG test, 4
- food supplements, 957
- formalin, 315
- fracture, 817
- Francisella tularensis*, 655
- free radicals, 381
- fresh citrated whole blood, 641
- frozen shoulder, 694
- fructose, 389
- functional outcome, 235
- functional paraganglioma, e89
- functional status, 865
- galactin-3, 856
- gastric cancer, 93, e126, e176
- gastrointestinal bleeding, e85
- gastrointestinal haemorrhage, e198
- gender, 247
- generalised seizure, 21
- genitourinary tuberculosis, e48
- geriatric drugs, 28
- gestational age, 853
- giant cell arteritis, 73
- Glasgow Outcome Scale, 320
- glenohumeral joint, e1
- global health, 536
- global health initiatives, 536
- globalisation, 536
- glomerular filtration rate, 888
- glucocorticoids, 948
- glucose, 853
- glycaemic control status, 157
- glycated haemoglobins, 616
- goitre, e173
- gonadotrophin-releasing hormone agonist, 698
- Google search, 332
- grandmultiparity, 506
- granuloma, e15
- great saphenous vein, e3
- grief, e34
- guidance, 660
- H1N1, 490
- haematoma, e198
- haematuria, 481
- haemodialysis, e195
- Hashimoto disease, e143
- HbA1c, 616, 937
- HbA1c level, 157
- health insurance, 399
- health policy, 913
- health survey, 15
- healthcare, 796
- healthcare professionals, 586
- healthcare workers, 275, 586
- heart valve prosthesis, 69
- HeartWave500, 565
- hemithyroidectomy, 311
- hepatic cyst, e27
- hepatic tuberculosis, 744
- hepatitis B, 800
- hepatobiliary system, e6
- hepatoprotective, 326
- hexafurcation, 216
- hip fracture, 137
- hip fusion, e107
- Hirschsprung disease, e54
- hook effect, e58
- hookwire localisation, 306
- hospital, 944
- hydatid cyst, e72
- hydatidiform mole, e58
- hypersplenism, 806
- hyperthermia, e187
- hypothyroidism, e143
- I/D gene polymorphism, 576
- ICU, 226
- illustrations, 186
- immunisation, 406
- in vitro* fertilisation, 698
- indexing, 757
- India, 406
- indirect calorimetry, 635
- infant, 440
- infants, 645
- inflammatory bowel disease, 484
- influenza pandemic, 490
- influenza, 623
- information needs, 790
- infraorbital foramen, 730
- inhaled nitric oxide, 144
- injuries, 78
- injury, 645
- institution, 944
- institutional review board, 908
- insulin resistance, 389, 931
- intellectual property, 844
- intercostobrachial plexus, 464
- internal, e163
- internal jugular vein, e195
- international health, 536
- intracranial brain tumours, e166
- intracranial hypertension, e133
- intraductal papillary mucinous tumour, 668
- intramedullary nailing, e107
- intramuscular oxytocin, 207
- intravenous drug abuse, 824
- intravenous immunoglobulin, e18
- intravenous magnesium sulphate, 144
- invasive blood pressure, e111
- invited commentary, 454
- invited review, 271
- in-vitro* specific IgE test, 4
- iron deficiency, 116
- iron deficiency anaemia, 116
- ischaemic optic neuropathy, 73
- isoflavone phytoestrogens, 781
- Ixora coccinea*, 326
- jejunum, e103
- joint instability, 235
- journal, 757
- journal correspondence, 532
- kala-azar, 806
- karyotype, 343
- karyotype pattern, 133
- Kassanda, 35
- kidney calculi, 512
- kidney injuries, 468
- Kikuchi's disease, e18
- kinesiology and electrodermal testing, 4
- Klinefelter's syndrome, e24
- knee locking, e140
- knowledge, 623
- laparoscopic, 650
- laryngotracheal stenosis, 848
- larynx, 848
- left common carotid artery, e182
- left coronary artery, 775
- leptin, 39
- letter to the Editor, 532
- Level I trauma centre, 736
- licensing, 913
- linea alba hernia, e9
- linguofacial trunk, e40
- lipid peroxidation, 105, 582
- lipid profile, 781
- lipoma, 418
- liposarcoma, 418
- lithotripsy, 512
- liver transplant, 434
- local staging, 475
- locations, 730
- locomotion, 709
- low-density lipoproteins, 582
- lower limb reconstruction, 339
- lower segment caesarean section, e111
- lung mass, e22
- lymphadenopathy, e173
- lymphoma, e176
- magnetic resonance angiography, e133
- magnetic resonance imaging, 418, e69, e98
- malaria complications, 226
- malignant, 650
- malignant pleural effusion, 163
- malondialdehyde, 582
- mammography, e191
- mantle cell lymphoma, e201
- maximal electroshock, 424
- MDCT angiography, e103
- median artery, 775
- medical diagnosis, 332

- medical ethics, 275
 medical guidelines, 913
 medical students, 116, 126
 medical writing, 10, 101, 186,
 271, 362, 454, 532, 612,
 685, 844
 meningitis, e30
 mental retardation, e54
 metabolic liver disease, e12
 metabolic syndrome, 931
 metastases, e98
 metastasis, 856
 minimally invasive, 650
 molecular genetics, e12
 monotherapy, 21
 morbid obesity, 937
 mortality, 389
 mortality risk factors, 137
 motor developmental delay, e9
 motor neurone disease, 367
 Mowat-Wilson syndrome, e54
 MR imaging, 716
 mucinous adenocarcinoma, e126
 mucinous cystic neoplasm, 668
 multicultural, 790
 multiple acyl coenzyme A
 dehydrogenase deficiency, e69
 multiple lymphomatous
 polyposis, e201
 multiple sclerosis, 716
 multislice CT, 282, 374
 mycotic aneurysm, 824
 myocardial bridge, 775
 myocardial infarction, 576, 781,
 e118
 myocarditis, e15
 myxofibrosarcoma, e187

 N-acetylcysteine, 381
 nail bed injuries, 78
 nasal inflammation, 542
 necrotising fasciitis, e51
 necrotising lymphadenitis, e18
 neglected elbow dislocation, e62
 neonatal cholestasis, 434
 neonatal hyperbilirubinaemia,
 641
 neonatal intrahepatic cholestasis,
 e12
 neonatal jaundice, e12
 neonate, 853, e166
 Nepal, 212
 nephroureterectomy, e48
 neuroendocrine tumour, e129
 neurofibromatosis, e98
 neuroimaging, e30
 neuropathies, 464
Nigella sativa, 230
 Nigeria, 506
 nodular, e158
 non-palpable breast lesion, 306
 non-parasitic cyst, e27
 non-ST elevation myocardial
 infarction, 558
 nutrition, 876
 nutritional status, 860

 obesity, 126
 obscure gastrointestinal
 haemorrhage, e103
 obstructed labour, 506
 obstructive jaundice, e198
 occipito-auricular trunk, e40
 occult giant cell arteritis, 73
 Occupational Safety and Health
 Act (OSHA) 1994, 586
 occupational safety and health
 knowledge, 586
 oesophagus, e201
 ondansetron, 871
 opinion, 454, 612
 oral food challenge, 4
 oral misoprostol, 207
 organ donation, 790
 ossified anterior longitudinal
 ligament, e66
 ossified posterior longitudinal
 ligament, e66
 osteoarthritis, e149
 osteomyelitis, e1
 osteoporosis-related fractures,
 948
 outbreaks, 655
 outcome, 434, 496, 698
 ovariectomy, 781
 oxidative stress, 110

 paediatric, 848
 paediatric drowning, 429
 paediatric imaging, 457
 Pakistan, 592
 palliative radiotherapy, e187
 palonosetron, 871
 pamidronate, 883
 pancytopenia, 806
 pandemic, 275
 paraquat, 496
 parity 1-4, 35
 Parkinson's disease, 60
 Parkinson's disease sleepiness
 scale, 60
 partial seizure, 21
 patient volume, 570
 pentafurcation, 216
 pentylene tetrazole, 424
 periocular infection, e51
 perioperative complications, 44
 perirenal haematoma, 481
 peroneus brevis, 339
 per-rectal bleeding, 315
 persistent left superior vena cava,
 e195
 perspective, 454
 pes varus, e9
 PET/CT, e37
 pheochromocytoma, e89
 phlebectasia, e103
 pictorial essay, 186
 pigmented villonodular synovitis,
 e140
 pituitary adenoma, e179
 pituitary function test, e179
 placenta, 39
 plagiarism, 908
 plasma dopamine, e89
 pleurodesis, 163
 pneumothorax, 163
 poisoning, 496
 polydactyly, 965
 polymerase chain reaction, 655
 polyposis, e153
 polysomnography, 60
 polytherapy, 21
 post-biopsy complications, 481
 postlaminectomy kyphosis, e66
 povidone iodine, 163
 PPHN, 144
 predictive equation, 635
 preeclampsia, 39
 pregnancy, 39
 prematurity, 247
 prescribing guidelines, 28
 preterm infant, 952
 prevalence, 800, 817, 923
 prevention, 429
 previous scar, 35
 primary viral pneumonitis, 490
 proctitis, 315
 profunda femoris artery, e3
 prolonged jaundice, e12
 prolonged labour, 35
 prothrombin time, 300
 proximal femur, e107
 proximal renal tubular acidosis,
 e24
 pseudocyst, 668
 pseudodiverticulosis, e161
Pseudomonas aeruginosa, e51
 public health, 275, 536
 publication ethics, 908
 pulmonary, e137
 pulmonary nodule, 660, e22
 pulmonary thrombus, e22
 pyogenic liver abscess, e169

 quadrifurcation, 216
 quality assurance specialisation,
 796
 quality of life, 157, 551

 radial artery, e81
 radiation, 315
 radiation dose, 200, 374, 457
 radiation risk, 200, 457
 radiofrequency ablation, e129
 reconstituted blood, 641
 rectum, 650
 recurrence, e187
 regional lymphadenopathy, 475
 regular-interval follow-up, 120
 relapse, e30
 reliability, 865
 renal, 824
 renal biopsy, 481
 renal haemorrhage, 468
 renal trauma, 468
 renin-angiotensin system, 151
 reperfusion injury, 381
 resection, 93
 response marker, 110
 retinopathy, 56
 retrograde, e107
 retrograde intrarenal surgery, 512
 retrograde urethrography, 352
 retrospective, 817, 848
 review, 542
 review article, 271
 rhabdomyolysis, e79
Rhinacanthus nasuta, 326
 rhythm abnormality, e146
 right coronary artery, 775
 rights and permissions, 908
 risk, 374
 risk factors, 126, 429, 655, 800
 robotic, 709
 Rosai-Dorfman disease, e173
 Roux-en-Y gastric bypass, 937
 ruptured uterus, 35
 rural population, 702

 Saudi Arabia, 923
 scapula infection, e1
 scarred uteri, 506
 sciatic nerve, 721
 scientific misconduct, 908
 scientific paper, 10, 101, 186,
 271, 454, 532, 612, 685, 844
Scopulariopsis, e137
 screen imaging studies, 120
 screening, 853, 923
 secondary cardiac injury, e114
 secondary hospital, 506
 secondary osteoporosis, 948
 seizure, e79
 septic shock, e51
 serosal invasion, 475
 serous cystadenoma, 668
 shaft fracture, e107
 shapes, 730
 short form 36, 157
 short stature, e24
 short tandem repeat, 343
 short-interval follow-up, 120
 shoulder joint, 694
 shoulder pain, 865
 signet ring cell carcinoma, e126
 Silver-Russell syndrome, e9
 simultaneous bilateral total knee
 arthroplasty, 44
 Singapore, 536
 single ovary, 698
 sinoatrial block, e146

- sinus histiocytosis, e173
 skin prick test, 4
 sleep-disordered breathing, 60
 social behaviour, 592
 socioeconomic factors, 406
 socioeconomic status, 247
 soft drinks, 126
 soft tissue neoplasm, 418
 solitary pulmonary nodule, e22
 somatostatin analogue, e129
 sonography, e191
 South Indian population, 576
 soybean protein, 781
Spilanthus ciliata, 326
 spinal arteriovenous malformation, e114
 spinal haemorrhage, e114
 spironolactone, 501
 splenic, 824
 splenomesenteric trunk, e6
 spontaneous intracerebral haemorrhage, 320
 spontaneous rupture, e169
 ST-elevation myocardial infarction (STEMI), e76
 stent, e81
 sterile pyuria, e48
 Stevens-Johnson syndrome, 767
 stomach, e184
Streptococcus suis, e30
 stress cardiomyopathy, e76
 strictures, 744
 subarachnoid block, e111
 subarachnoid haemorrhage, e114
 subdural empyema, e43
 subglottic stenosis, 848
 sublingual/intradermal provocation tests, 4
 subphrenic abscess, e169
 subtrochanteric, e107
 superior mesenteric artery, e6, e184
 superior thyroid artery, e40
 superoxide dismutase, 582
 surfactant, 501
 surgical, 220
 surgical evacuation, 320
 surgical procedures, 813
 survival, e126
 suture anchor, 235
 symptoms, 220
 synchronous tumour, e176
 syndactyly, 965
 syndrome, e184
 systematic review, 362
 Takayasu's arteritis, e111
 Takotsubo cardiomyopathy, e76
 technical development, 101
 technical innovation, 101
 technical note, 101
 temporal arteritis, 73
 thalassaemia, 817
 therapeutic drainage, 762
 therapy, 512
 thioacetamide, 389
 third branchial fistula, e122
 third stage of labour, 207
 thyroid cancer, 856
 tibial nerve, 721
 tibial stress fractures, e149
 TIMI score, 558
 tinnitus, 551
 Tinnitus Handicap Inventory, 551
 tirofiban, 558
 tobacco smoker, e137
 total knee arthroplasty, 44, e149
 toxic epidermal necrolysis, 767
 traditional birth attendants, 35
 training, 709
 transapical, 69
 transcatheter aortic valve implantation, 69
 transfer, 709
 transfer-of-copyright, 844
 transmission, 944
 transtelephonic event recorder, 565
 trauma, 200, 817
 treatment, 542
 treatment outcome, 413
 trifurcation, 216
 trigger thumb, 965
 trisomy 21, e46
 tropical medicine, 536
 tube thoracostomy, 242
 tuberculoma, 744
 tuberculosis, 744, 957, e15, e85
 tuberculosis pyelonephritis, e48
 tularaemia, 655
 tumour markers, e143
 tumour necrosis factor-alpha, 883
 type 2 diabetes mellitus, 50, 157, 937
 ulcerative colitis, 484
 ulnar artery, e81
 ultrasonography, e184
 ultrasound, e72
 understanding, 290
 unilateral total knee arthroplasty, 44
 uninsured, 399
 unproven allergy tests, 4
 upper and lower face height, 212
 upper limb, 464
 urban areas, 290
 urban population, 702
 ureteral diverticulum, e161
 urinary dopamine, e89
 urinary tract infection, e48
 urine pregnancy test, e58
 uterine rupture, 506
 vaccination, 623
 validity, 865
 variation, e94
 vascular malformation, e103
 VATS, 242
 vein of Galen malformations, 896
 vertebral artery, e182
 VIPoma, e129
 virus, 944
 voiding cystourethrography, 352
 walking, 645
 wasting disease, 957
 water safety, 429
 web-based monitoring, 565
 weighted analysis, 800
 Whipple procedure, e129
 workplace bullying, 592
 ZEB2 gene, e54